



1. Scope as per Clauses 1.0 and 9.4 E2/AS1
2. Compatibility of materials as per Tables 20-22 E2/AS1
3. The flashing system relies upon the joinery meeting the requirements of NZS 4211 and for the relevant building wind pressures
4. Interset flashings are designed exclusively for use with the Rosenfeld Kidson Cedarscreen Vertical 45mm system
5. Windows to have a 10 mm perimeter clearance for application of a continuous air seal



 <b>INTERSET</b> <small>RECESSED WINDOWS FOR TIMBER CLADDING</small> <a href="http://www.rosenfeldkidson.co.nz">www.rosenfeldkidson.co.nz</a>	<b>Rosenfeld Kidson &amp; Co. Ltd</b> Auckland Branch: 513 Mt Wellington Highway Mt Wellington, Auckland 1060 T. +64 9 573 0503 F. +64 9 573 0504	Christchurch Branch: 15 Edmonton Road, Hornby Christchurch 8042 T. +64 3 349 3316 F. +64 3 349 3317	Title <b>Window Sill Detail</b> Drawing <b>RK-RWF-08</b> Scale: 1 : 2 @ A4
	Postal address: PO Box 621, Shortland Street, Auckland 1140		Revision: H Date: 12.09.2017